


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:


1. – 60. (Canceled).

61. (Currently amended) A compound of the formula I*



enantiomers, diastereomers and pharmaceutically acceptable salts thereof, wherein

X¹, X² and X³, together with the atoms to which they are bonded, form a ring selected from:



R¹, R², R⁵, R⁶ and R⁷ are independently selected from groups of the formula -(CH₂)_n-(Z¹)_m-(CH₂)_p-Z²;

R⁴ is alkyl or substituted alkyl;

Z¹ is -CZ³Z⁴-, -O-, -NZ³-, -S-, -SO-, -SO₂-, -C(O)-, -C(O)Z³-, -C(O)NZ⁴-, -C(S)-, -C(=NOZ³)-, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl,

substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^2 is hydrogen; $-\text{OZ}^5$, $-\text{OC}(\text{O})\text{Z}^5$, $-\text{NZ}^5-\text{C}(\text{O})-\text{Z}^6$, $-\text{NZ}^5-\text{CO}_2-\text{Z}^6$, $-\text{NZ}^5(\text{C}=\text{O})-\text{NZ}^6\text{Z}^7$, $-\text{NZ}^5\text{Z}^6$, $-\text{NO}_2$, halo, $-\text{CN}$, $-\text{C}(\text{O})\text{Z}^5$, $-\text{CO}_2\text{Z}^5$, $-\text{C}(\text{S})\text{Z}^5$, $-(\text{C}=\text{NOZ}^5)\text{Z}^6$, $-\text{C}(\text{O})\text{NZ}^5\text{Z}^6$, $-\text{C}(\text{S})\text{NZ}^5\text{Z}^6$, $-\text{SZ}^5$, $-\text{SOZ}^5$, $-\text{SO}_2\text{Z}^5$, $-\text{SO}_2\text{NZ}^5\text{Z}^6$, $-\text{CF}_3$, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

R^{3*} is $-\text{OZ}^5$, $-\text{OC}(\text{O})-\text{Z}^5$, $-\text{NZ}^5-\text{C}(\text{O})-\text{Z}^6$, $-\text{NZ}^5(\text{C}=\text{O})-\text{NZ}^6\text{Z}^7$, $-\text{NZ}^5\text{Z}^6$, $-(\text{C}=\text{NOZ}^5)\text{Z}^6$, $-\text{C}(\text{O})\text{NZ}^{5*}\text{Z}^{6*}$, $-\text{C}(\text{S})\text{NZ}^{5*}\text{Z}^{6*}$, $-\text{SZ}^5$, $-\text{SOZ}^5$, $-\text{C}(\text{O})\text{Z}^{3*}-\text{Z}^{2*}$, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, ~~heterocyclo or substituted heterocyclo~~, provided that when R^{3*} is $-\text{OC}(\text{O})-\text{Z}^5$, R^7 is not H, Me, cyclopentyl or F;

Z^{2*} is other than hydrogen when Z^{3*} is heterocyclo;

Z^{3*} is heterocyclo or substituted heterocyclo;

Z^{5*} is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

Z^{6*} is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that Z^{6*} is not hydrogen when Z^{5*} is substituted alkyl, unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl; or Z^{5*} and Z^{6*} may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that Z^{5*} and Z^{6*} do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;
m is an integer selected from 0 or 1; and
q is an integer selected from 1 to 3.

62. (Currently amended) A compound of claim 61 wherein

R^{3*} is ~~heterocyclo; substituted heterocyclo;~~ $-C(O)NZ^{5*}Z^{6*}$,
 $-C(O)Z^{3*}-C(O)NZ^5Z^6$, $-C(O)Z^{3*}-CO_2Z^5$, $-C(O)Z^{3*}-(\text{aryl})$,
 $-C(O)Z^{3*}-(\text{substituted aryl})$, $-C(O)Z^{3*}-(\text{heterocyclo})$, or
 $-C(O)Z^{3*}-(\text{substituted heterocyclo})$.

63. (Previously presented) A compound of claim 62 wherein

R^1 is H; and

R^2 is aryl, substituted aryl, heterocyclo, substituted heterocyclo, carbocyclo or substituted carbocyclo.


64. (Withdrawn) A compound of claim 61 wherein R^{3*} is heterocyclo or substituted heterocyclo.

65. (Withdrawn) A compound of claim 64 wherein

R^1 is H; and


R^2 is aryl, substituted aryl, heterocyclo, substituted heterocyclo, carbocyclo or substituted carbocyclo.

66. (Currently amended) A method of treating atrial arrhythmias comprising administering to a patient in need thereof an effective amount of at least one compound of formula I*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X^1 , X^2 and X^3 , together with the atoms to which they are bonded, form a ring selected from:



R^1 , R^2 , R^5 , R^6 and R^7 are independently selected from groups of the formula $-(CH_2)_n-(Z^1)_m-$
 $(CH_2)_p-Z^2$;

R^4 is alkyl or substituted alkyl;

Z^1 is $-CZ^3Z^4-$, $-O-$, $-NZ^3-$, $-S-$, $-SO-$, $-SO_2-$, $-C(O)-$, $-C(O)Z^3-$, $-C(O)NZ^4$, $-C(S)-$,
 $-C(=NOZ^3)-$, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl,
substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl,
heterocyclo, or substituted heterocyclo;

Z^2 is hydrogen; $-OZ^5$, $-OC(O)Z^5$, $-NZ^5-C(O)-Z^6$, $-NZ^5-CO_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$,
 $-NO_2$, halo, $-CN$, $-C(O)Z^5$, $-CO_2Z^5$, $-C(S)Z^5$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^5Z^6$,
 $-C(S)NZ^5Z^6$, $-SZ^5$, $-SOZ^5$, $-SO_2Z^5$, $-SO_2NZ^5Z^6$, $-CF_3$, alkyl, substituted alkyl,
alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted
carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl,
substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo,
aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 may, in one or more pairs of two, together with the atoms to which
they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or
substituted heterocyclic group;

R^{3*} is $-OZ^5$, $-OC(O)-Z^5$, $-NZ^5-C(O)_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-(C=NOZ^5)Z^6$,
 $-C(O)NZ^5*Z^6*$, $-C(S)NZ^5*Z^6*$, $-SZ^5$, $-SOZ^5$, $-C(O)Z^3*-Z^2*$, halo, alkyl, substituted
alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo,

substituted carbocyclo, aryl, substituted aryl, ~~heterocyclo or substituted heterocyclo~~,
provided that when R^{3*} is $-OC(O)-Z^5$, R^7 is not H, Me, cyclopentyl or F;

Z^{2*} is other than hydrogen when Z^{3*} is heterocyclo;

Z^{3*} is heterocyclo or substituted heterocyclo;

Z^{5*} is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl,
carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted
heterocyclo; and

Z^{6*} is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted
alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or
substituted heterocyclo, provided that Z^{6*} is not hydrogen when Z^{5*} is substituted
alkyl, unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;
or Z^{5*} and Z^{6*} may together with the nitrogen atom to which they are bonded form a
heterocyclic group or substituted heterocyclic group, provided that Z^{5*} and Z^{6*} do not
together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted
morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is
also 0;


m is an integer selected from 0 or 1; and

q is an integer selected from 1 to 3.

67. (Previously presented) A method of claim 66 wherein the atrial arrhythmia is atrial fibrillation.


68. (Previously presented) A method of claim 66 wherein the atrial arrhythmia is atrial flutter.

69. (Currently amended) A method of controlling heart rate comprising administering to a patient in
need thereof an effective amount of at least one compound of formula I*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X^1 , X^2 and X^3 , together with the atoms to which they are bonded, form a ring selected from:



R^1 , R^2 , R^5 , R^6 and R^7 are independently selected from groups of the formula $-(CH_2)_n-(Z^1)_m-(CH_2)_p-Z^2$;

R^4 is alkyl or substituted alkyl;

Z^1 is $-CZ^3Z^4-$, $-O-$, $-NZ^3-$, $-S-$, $-SO-$, $-SO_2-$, $-C(O)-$, $-C(O)Z^3-$, $-C(O)NZ^4$, $-C(S)-$, $-C(=NOZ^3)-$, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^2 is hydrogen; $-OZ^5$, $-OC(O)Z^5$, $-NZ^5-C(O)-Z^6$, $-NZ^5-CO_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-NO_2$, halo, $-CN$, $-C(O)Z^5$, $-CO_2Z^5$, $-C(S)Z^5$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^5Z^6$, $-C(S)NZ^5Z^6$, $-SZ^5$, $-SOZ^5$, $-SO_2Z^5$, $-SO_2NZ^5Z^6$, $-CF_3$, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

R^{3*} is $-OZ^5$, $-OC(O)-Z^5$, $-NZ^5-C(O)_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^{5*}Z^{6*}$, $-C(S)NZ^{5*}Z^{6*}$, $-SZ^5$, $-SOZ^5$, $-C(O)Z^{3*}-Z^{2*}$, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, ~~heterocyclo or substituted heterocyclo~~ provided that when R^{3*} is $-OC(O)-Z^5$, R^7 is not H, Me, cyclopentyl or F;

Z^{2*} is other than hydrogen when Z^{3*} is heterocyclo;

Z^{3*} is heterocyclo or substituted heterocyclo;

Z^{5*} is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and


Z^{6*} is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that Z^{6*} is not hydrogen when Z^{5*} is substituted alkyl, unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl; or Z^{5*} and Z^{6*} may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that Z^{5*} and Z^{6*} do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and


q is an integer selected from 1 to 3.

70. (Currently amended) A method of treating gastrointestinal disorders comprising administering to a patient in need thereof an effective amount of at least one compound of formula I*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X^1 , X^2 and X^3 , together with the atoms to which they are bonded, form a ring selected from:



R^1 , R^2 , R^5 , R^6 and R^7 are independently selected from groups of the formula $-(CH_2)_n-(Z^1)_m-(CH_2)_p-Z^2$;

R^4 is alkyl or substituted alkyl;

Z^1 is $-CZ^3Z^4$ -, $-O$ -, $-NZ^3$ -, $-S$ -, $-SO$ -, $-SO_2$ -, $-C(O)$ -, $-C(O)Z^3$ -, $-C(O)NZ^4$ -, $-C(S)$ -, $-C(=NOZ^3)$ -, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^2 is hydrogen; $-OZ^5$, $-OC(O)Z^5$, $-NZ^5-C(O)-Z^6$, $-NZ^5-CO_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-NO_2$, halo, $-CN$, $-C(O)Z^5$, $-CO_2Z^5$, $-C(S)Z^5$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^5Z^6$, $-C(S)NZ^5Z^6$, $-SZ^5$, $-SOZ^5$, $-SO_2Z^5$, $-SO_2NZ^5Z^6$, $-CF_3$, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

R^{3*} is $-OZ^5$, $-OC(O)-Z^5$, $-NZ^5-C(O)_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^{5*}Z^{6*}$, $-C(S)NZ^{5*}Z^{6*}$, $-SZ^5$, $-SOZ^5$, $-C(O)Z^{3*}-Z^{2*}$, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, ~~heterocyclo or substituted heterocyclo~~, provided that when R^{3*} is $-OC(O)-Z^5$, R^7 is not H, Me, cyclopentyl or F;

Z^{2*} is other than hydrogen when Z^{3*} is heterocyclo;

Z^{3*} is heterocyclo or substituted heterocyclo;

Z^{5*} is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

Z^{6*} is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that Z^{6*} is not hydrogen when Z^{5*} is substituted alkyl, unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl; or Z^{5*} and Z^{6*} may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that Z^{5*} and Z^{6*} do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;


m is an integer selected from 0 or 1; and

q is an integer selected from 1 to 3.

71. (Previously presented) The method of claim 70 wherein the gastrointestinal disorder is reflux esophagitis.


72. (Previously presented) The method of claim 70 wherein the gastrointestinal disorder is a motility disorder.

73. (Currently amended) A method of treating inflammatory or immunological disease comprising administering to a patient in need thereof an effective amount of at least one compound of formula I*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X¹, X² and X³, together with the atoms to which they are bonded, form a ring selected from:



R¹, R², R⁵, R⁶ and R⁷ are independently selected from groups of the formula -(CH₂)_n-(Z¹)_m-(CH₂)_p-Z²;

R⁴ is alkyl or substituted alkyl;

Z¹ is -CZ³Z⁴-, -O-, -NZ³-, -S-, -SO-, -SO₂-, -C(O)-, -C(O)Z³-, -C(O)NZ⁴-, -C(S)-, -C(=NOZ³)-, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z² is hydrogen; -OZ⁵-, -OC(O)Z⁵-, -NZ⁵-C(O)-Z⁶-, -NZ⁵-CO₂-Z⁶-, -NZ⁵(C=O)-NZ⁶Z⁷-, -NZ⁵Z⁶-, -NO₂, halo, -CN, -C(O)Z⁵-, -CO₂Z⁵-, -C(S)Z⁵-, -(C=NOZ⁵)Z⁶-, -C(O)NZ⁵Z⁶-, -C(S)NZ⁵Z⁶-, -SZ⁵-, -SOZ⁵-, -SO₂Z⁵-, -SO₂NZ⁵Z⁶-, -CF₃, alkyl, substituted alkyl,

alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

R^{3*} is $-OZ^5$, $-OC(O)-Z^5$, $-NZ^5-C(O)_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^{5*}Z^{6*}$, $-C(S)NZ^{5*}Z^{6*}$, $-SZ^5$, $-SOZ^5$, $-C(O)Z^{3*}-Z^{2*}$, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, ~~heterocyclo or substituted heterocyclo~~, provided that when R^{3*} is $-OC(O)-Z^5$, R^7 is not H, Me, cyclopentyl or F;

Z^{2*} is other than hydrogen when Z^{3*} is heterocyclo;

Z^{3*} is heterocyclo or substituted heterocyclo;

Z^{5*} is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

Z^{6*} is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that Z^{6*} is not hydrogen when Z^{5*} is substituted alkyl, unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;

or Z^{5*} and Z^{6*} may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that Z^{5*} and Z^{6*} do not together form unsubstituted piperidiny, unsubstituted pyrrolidiny, or unsubstituted morpholinyl;


n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and

q is an integer selected from 1 to 3.


74. (Previously presented) The method of claim 73 wherein the disease is chronic obstructive pulmonary disease.

75. (Currently amended) A method of treating diabetes comprising administering to a person in need thereof an effective amount of at least one compound of formula I*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X^1 , X^2 and X^3 , together with the atoms to which they are bonded, form a ring selected from:



R^1 , R^2 , R^5 , R^6 and R^7 are independently selected from groups of the formula $-(CH_2)_n-(Z^1)_m-(CH_2)_p-Z^2$;

R^4 is alkyl or substituted alkyl;

Z^1 is $-CZ^3Z^4-$, $-O-$, $-NZ^3-$, $-S-$, $-SO-$, $-SO_2-$, $-C(O)-$, $-C(O)Z^3-$, $-C(O)NZ^4$, $-C(S)-$, $-C(=NOZ^3)-$, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^2 is hydrogen; $-OZ^5$, $-OC(O)Z^5$, $-NZ^5-C(O)-Z^6$, $-NZ^5-CO_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-NO_2$, halo, $-CN$, $-C(O)Z^5$, $-CO_2Z^5$, $-C(S)Z^5$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^5Z^6$, $-C(S)NZ^5Z^6$, $-SZ^5$, $-SOZ^5$, $-SO_2Z^5$, $-SO_2NZ^5Z^6$, $-CF_3$, alkyl, substituted alkyl,

alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

R^{3*} is $-OZ^5$, $-OC(O)-Z^5$, $-NZ^5-C(O)_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^{5*}Z^{6*}$, $-C(S)NZ^{5*}Z^{6*}$, $-SZ^5$, $-SOZ^5$, $-C(O)Z^{3*}-Z^{2*}$, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, ~~heterocyclo or substituted heterocyclo~~, provided that when R^{3*} is $-OC(O)-Z^5$, R^7 is not H, Me, cyclopentyl or F;

Z^{2*} is other than hydrogen when Z^{3*} is heterocyclo;

Z^{3*} is heterocyclo or substituted heterocyclo;

Z^{5*} is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

Z^{6*} is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that Z^{6*} is not hydrogen when Z^{5*} is substituted alkyl, unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;


or Z^{5*} and Z^{6*} may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that Z^{5*} and Z^{6*} do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and


q is an integer selected from 1 to 3.

76. (Currently amended) A method of treating cognitive disorders comprising administering to a patient in need thereof an effective amount of at least one compound of formula I*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X^1 , X^2 and X^3 , together with the atoms to which they are bonded, form a ring selected from:



R^1 , R^2 , R^5 , R^6 and R^7 are independently selected from groups of the formula $-(CH_2)_n-(Z^1)_m-(CH_2)_p-Z^2$;

R^4 is alkyl or substituted alkyl;

Z^1 is $-CZ^3Z^4-$, $-O-$, $-NZ^3-$, $-S-$, $-SO-$, $-SO_2-$, $-C(O)-$, $-C(O)Z^3-$, $-C(O)NZ^4$, $-C(S)-$, $-C(=NOZ^3)-$, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^2 is hydrogen; $-OZ^5$, $-OC(O)Z^5$, $-NZ^5-C(O)-Z^6$, $-NZ^5-CO_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-NO_2$, halo, $-CN$, $-C(O)Z^5$, $-CO_2Z^5$, $-C(S)Z^5$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^5Z^6$, $-C(S)NZ^5Z^6$, $-SZ^5$, $-SOZ^5$, $-SO_2Z^5$, $-SO_2NZ^5Z^6$, $-CF_3$, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

R^{3*} is $-OZ^5$, $-OC(O)-Z^5$, $-NZ^5-C(O)_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^{5*}Z^{6*}$, $-C(S)NZ^{5*}Z^{6*}$, $-SZ^5$, $-SOZ^5$, $-C(O)Z^{3*}-Z^{2*}$, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, ~~heterocyclo or substituted heterocyclo~~, provided that when R^{3*} is $-OC(O)-Z^5$, R^7 is not H, Me, cyclopentyl or F;

Z^{2*} is other than hydrogen when Z^{3*} is heterocyclo;

Z^{3*} is heterocyclo or substituted heterocyclo;

Z^{5*} is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and


Z^{6*} is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that Z^{6*} is not hydrogen when Z^{5*} is substituted alkyl, unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl; or Z^{5*} and Z^{6*} may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that Z^{5*} and Z^{6*} do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and


q is an integer selected from 1 to 3.

77. (Currently amended) A method of treating migraine comprising administering to a patient in need thereof an effective amount of at least one compound of the formula I*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X^1 , X^2 and X^3 , together with the atoms to which they are bonded, form a ring selected from:



R^1 , R^2 , R^5 , R^6 and R^7 are independently selected from groups of the formula $-(CH_2)_n-(Z^1)_m-(CH_2)_p-Z^2$;

R^4 is alkyl or substituted alkyl;

Z^1 is $-CZ^3Z^4$ -, $-O$ -, $-NZ^3$ -, $-S$ -, $-SO$ -, $-SO_2$ -, $-C(O)$ -, $-C(O)Z^3$ -, $-C(O)NZ^4$ -, $-C(S)$ -, $-C(=NOZ^3)$ -, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^2 is hydrogen; $-OZ^5$, $-OC(O)Z^5$, $-NZ^5-C(O)-Z^6$, $-NZ^5-CO_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-NO_2$, halo, $-CN$, $-C(O)Z^5$, $-CO_2Z^5$, $-C(S)Z^5$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^5Z^6$, $-C(S)NZ^5Z^6$, $-SZ^5$, $-SOZ^5$, $-SO_2Z^5$, $-SO_2NZ^5Z^6$, $-CF_3$, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

R^{3*} is $-OZ^5$, $-OC(O)-Z^5$, $-NZ^5-C(O)_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^{5*}Z^{6*}$, $-C(S)NZ^{5*}Z^{6*}$, $-SZ^5$, $-SOZ^5$, $-C(O)Z^{3*}-Z^{2*}$, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, ~~heterocyclo or substituted heterocyclo~~, provided that when R^{3*} is $-OC(O)-Z^5$, R^7 is not H, Me, cyclopentyl or F;

Z^{2*} is other than hydrogen when Z^{3*} is heterocyclo;

Z^{3*} is heterocyclo or substituted heterocyclo;

Z^{5*} is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and


Z^{6*} is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that Z^{6*} is not hydrogen when Z^{5*} is substituted alkyl, unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl; or Z^{5*} and Z^{6*} may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that Z^{5*} and Z^{6*} do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and


q is an integer selected from 1 to 3.

78. (Currently amended) A method of treating epilepsy comprising administering to a patient in need thereof an effective amount of at least one compound of the formula I*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X^1 , X^2 and X^3 , together with the atoms to which they are bonded, form a ring selected from:



R^1 , R^2 , R^5 , R^6 and R^7 are independently selected from groups of the formula $-(CH_2)_n-(Z^1)_m-$
 $(CH_2)_p-Z^2$;

R^4 is alkyl or substituted alkyl;

Z^1 is $-CZ^3Z^4-$, $-O-$, $-NZ^3-$, $-S-$, $-SO-$, $-SO_2-$, $-C(O)-$, $-C(O)Z^3-$, $-C(O)NZ^4$, $-C(S)-$,
 $-C(=NOZ^3)-$, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl,
substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl,
heterocyclo, or substituted heterocyclo;

Z^2 is hydrogen; $-OZ^5$, $-OC(O)Z^5$, $-NZ^5-C(O)-Z^6$, $-NZ^5-CO_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$,
 $-NO_2$, halo, $-CN$, $-C(O)Z^5$, $-CO_2Z^5$, $-C(S)Z^5$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^5Z^6$,
 $-C(S)NZ^5Z^6$, $-SZ^5$, $-SOZ^5$, $-SO_2Z^5$, $-SO_2NZ^5Z^6$, $-CF_3$, alkyl, substituted alkyl,
alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted
carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl,
substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo,
aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

Z^3, Z^4, Z^5, Z^6 and Z^7 may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

R^{3*} is $-OZ^5$, $-OC(O)-Z^5$, $-NZ^5-C(O)_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^{5*}Z^{6*}$, $-C(S)NZ^{5*}Z^{6*}$, $-SZ^5$, $-SOZ^5$, $-C(O)Z^{3*}-Z^{2*}$, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, ~~heterocyclo or substituted heterocyclo~~, provided that when R^{3*} is $-OC(O)-Z^5$, R^7 is not H, Me, cyclopentyl or F;

Z^{2*} is other than hydrogen when Z^{3*} is heterocyclo;

Z^{3*} is heterocyclo or substituted heterocyclo;

Z^{5*} is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and


Z^{6*} is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that Z^{6*} is not hydrogen when Z^{5*} is substituted alkyl, unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl; or Z^{5*} and Z^{6*} may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that Z^{5*} and Z^{6*} do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and


q is an integer selected from 1 to 3.

79. (Currently amended) A method of treating I_{kur} -associated conditions comprising administering to a patient in need thereof an effective amount of at least one compound of the formula I*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X^1 , X^2 and X^3 , together with the atoms to which they are bonded, form a ring selected from:



R^1 , R^2 , R^5 , R^6 and R^7 are independently selected from groups of the formula $-(CH_2)_n-(Z^1)_m-(CH_2)_p-Z^2$;

R^4 is alkyl or substituted alkyl;

Z^1 is $-CZ^3Z^4$ -, $-O$ -, $-NZ^3$ -, $-S$ -, $-SO$ -, $-SO_2$ -, $-C(O)$ -, $-C(O)Z^3$ -, $-C(O)NZ^4$ -, $-C(S)$ -, $-C(=NOZ^3)$ -, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^2 is hydrogen; $-OZ^5$, $-OC(O)Z^5$, $-NZ^5-C(O)-Z^6$, $-NZ^5-CO_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-NO_2$, halo, $-CN$, $-C(O)Z^5$, $-CO_2Z^5$, $-C(S)Z^5$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^5Z^6$, $-C(S)NZ^5Z^6$, $-SZ^5$, $-SOZ^5$, $-SO_2Z^5$, $-SO_2NZ^5Z^6$, $-CF_3$, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

Z^3 , Z^4 , Z^5 , Z^6 and Z^7 may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

R^{3*} is $-OZ^5$, $-OC(O)-Z^5$, $-NZ^5-C(O)_2-Z^6$, $-NZ^5(C=O)-NZ^6Z^7$, $-NZ^5Z^6$, $-(C=NOZ^5)Z^6$, $-C(O)NZ^{5*}Z^{6*}$, $-C(S)NZ^{5*}Z^{6*}$, $-SZ^5$, $-SOZ^5$, $-C(O)Z^{3*}-Z^{2*}$, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, ~~heterocyclo or substituted heterocyclo~~, provided that when R^{3*} is $-OC(O)-Z^5$, R^7 is not H, Me, cyclopentyl or F;

Z^{2*} is other than hydrogen when Z^{3*} is heterocyclo;

Z^{3*} is heterocyclo or substituted heterocyclo;

Z^{5*} is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

Z^{6*} is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that Z^{6*} is not hydrogen when Z^{5*} is substituted alkyl, unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl; or Z^{5*} and Z^{6*} may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that Z^{5*} and Z^{6*} do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and

q is an integer selected from 1 to 3.

80. (Withdrawn) A compound of claim 64 selected from the group consisting of

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-(5-phenyl-2-oxazolyl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-(5-phenyl-1,3,4-oxa-diazol-2-yl)pyrazolo[1,5-a]pyrimidine;

6-(1H-Benzimidazol-2-yl)-7-(3,4-dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine;

6-(2-Benzothiazolyl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-(1-methyl-1H-benzimidazol-2-yl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-[5-(trifluoromethyl)-1-propyl-1H-benzimidazol-2-yl]pyrazolo[1,5-a]pyrimidine;

6-(5-Butyl-1,3,4-oxadiazol-2-yl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-6-(4-methyl-1H-benzimidazol-2-yl)pyrazolo[1,5-a]pyrimidine;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-5-methyl-6-(1-methyl-1H-benzimidazol-2-yl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-6-(imidazo[1,5-a]pyridin-3-yl)-5-methylpyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-6-(1-ethyl-5-nitro-1H-benzimidazol-2-yl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine;

6-[5-Chloro-1-(1-methylethyl)-1H-benzimidazol-2-yl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidine;

6-(5-Chloro-1-ethyl-1H-benzimidazol-2-yl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-6-(5-fluoro-1-propyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-[1-(1-methylethyl)-5-(trifluoromethyl)-1H-benzimidazol-2-yl]pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-6-(5-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-6-(5-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine, enantiomer A;

7-(3,4-Dichlorophenyl)-6-(5-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidine, enantiomer B;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-[1-(phenylmethyl)-1H-benzimidazol-2-yl]pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-6-(imidazo[1,5-a]pyridin-3-yl)-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine;

7-(2,3-Dichlorophenyl)-4,7-dihydro-6-(imidazo[1,5-a]pyridin-3-yl)-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-6-(5-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine;

7-(2,3-Dichlorophenyl)-6-(4-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-6-(4-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine;

7-(2,3-Dichlorophenyl)-6-(5-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-6-(5-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine enantiomer A;

6-(1-Chloro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-3-yl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-(1-methyl-1H-thieno[3,4-d]imidazol-2-yl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-(4-methyl-4H-imidazo[3,4-d][1,2,5]thiadiazol-5-yl)pyrazolo[1,5-a]pyrimidine; and

7-(3,4-Dichlorophenyl)-6-(1,6-dihydro-1,3,6-trimethylimidazo[4,5-c]pyrazol-5-yl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine.

81. (Previously presented) A compound of claim 61, wherein R^{3*} is $-C(O)NZ^{5*}Z^{6*}$.

82. (Currently amended) A compound of claim 81 selected from the group consisting of:

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-phenylethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-phenylethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-3-pyridinylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine, enantiomer A;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine, enantiomer B;

1-[[7-(4-Chlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-methyl-piperazine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(3-phenylpropyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[5-(3,4-Dichlorophenyl)-5,8-dihydro-7-methyl-imidazo[1,2-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(phenyl-methyl)piperidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(phenyl-methyl)piperazine;

1-[[7-(3-Chlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Difluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl[1,2,4]triazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-(4-Fluorophenyl)-4-[(4,7-dihydro-5-methyl-7-phenylpyrazolo[1,5-a]pyrimidin-6-yl)carbonyl]piperazine;

1-[[7-(3,4-Dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer A;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer B;

1-[[5-(2,3-Dichlorophenyl)-5,8-dihydro-7-methyl-imidazo[1,2-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

1-(4-Fluorophenyl)-4-[[7-(3-fluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-piperazine;

1-[[7-(3,5-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[(7-Cyclohexyl-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl)carbonyl]-4-phenylpiperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-6-[(4-phenyl-1-piperazinyl)-carbonyl]pyrazolo[1,5-a]pyrimidine-3-carboxylic acid ethyl ester;

1-[[4-(2,3-Dichlorophenyl)-4,6,7,8-tetrahydro-2-methyl-1H-pyrimido[1,2-a]pyrimidin-3-yl]carbonyl]-4-phenyl-piperazine;

4-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1-pipera-zinecarboxylic acid 1,1-dimethylethyl ester;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-phenylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-2,5-dimethyl-N-(3-phenylpropyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(2,3-Dichlorophenyl)-2-(1,1-dimethylethyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-[[3-phenylpropyl)amino]carbonyl]pyrazolo[1,5-a]pyrimidine-3-carboxylic acid ethyl ester;

7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-6-[(4-phenyl-1-piperazinyl)-carbonyl]pyrazolo[1,5-a]pyrimidine-2-carboxylic acid ethyl ester;

1-[[3-Cyano-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer B;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer B;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(3-phenylpropyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-pipera-zinyl]carbonyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-2-carboxylic acid methyl ester;

(2S)-1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

1-[[7-(2,3-Dichlorophenyl)-2-fluoro-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

(2S)-1-[[2-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

(2S)-1-[[2-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

(2S)-1-[[7-(2,3-Dichloro-phenyl)-2-fluoro-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxy-methyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer A;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer B;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Difluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

4-[6-[[4-(4-Fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-7-yl]benzoic acid methyl ester;

1-(4-Fluorophenyl)-4-[[7-(2-fluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-piperazine;

1-[[7-(2-Chlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-7-(2-methoxyphenyl)-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dimethoxyphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,4-Dimethoxyphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,5-Dimethoxyphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[2-(trifluoromethyl)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(2-methylphenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(3-phenoxyphenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dimethoxyphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(3,5-Dimethoxyphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[3-(phenylmethoxy)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-7-(3-hydroxyphenyl)-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[3-(trifluoromethyl)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(3-methylphenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(4-Cyanophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-(4-Fluorophenyl)-4-[[7-(4-fluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-piperazine;

N-[4-[6-[[4-(4-Fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-7-yl]phenyl]acetamide;

1-[[7-[4-(Dimethyl-amino)phenyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-(4-methoxyphenyl)-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[4-(phenylmethoxy)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(4-Butoxyphenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(2-thienyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(3-thienyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[4-(trifluoromethyl)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(4-methylphenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(2-nitrophenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(4-nitrophenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,6-Difluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,4-Difluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,5-Difluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,5-Difluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[2-(phenylmethoxy)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(3,4-Dimethylphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[4-(trifluoromethoxy)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[3-(trifluoromethoxy)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(3-Cyanophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-(3-methoxyphenyl)-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(4-Chlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(4-phenoxyphenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(3-nitrophenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(5-methyl-2-furanyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-(1H-imidazol-2-yl)-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(1H-pyrrol-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(2-pyridinyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3-Chloro-4-methoxy-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-(4-methoxy-1,3-benzodioxol-6-yl)-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-[5-(hydroxymethyl)-2-furanyl]-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-(1H-indol-3-yl)-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(3-pyridinyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(3-quinolinyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(4-quinolinyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dihydro-1,4-benzodioxin-6-yl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(2,3,5-trichloro-phenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,5-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-(4-Fluorophenyl)-4-[[7-(3-furanyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-piperazine;

1-[[7-(2-Benzofuranyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(3-methylbenzo[b]thiophen-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(2-quinolinyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(2-thiazolyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-(4-Fluorophenyl)-4-[[7-(2-furanyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-piperazine;

1-[[4,7-Dihydro-7-[3-methoxy-4-(phenylmethoxy)phenyl]-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-[4-methoxy-3-(phenylmethoxy)phenyl]-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(2-naphthalenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-[3,4-Bis(phenyl-methoxy)phenyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(1,3-Benzodioxol-5-yl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-[3,5-Bis(trifluoro-methyl)phenyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[5-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]-2-thienyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(5-Ethyl-2-furanyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dihydro-5-benzofuranyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3-Bromophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[4-(1-pyrrolidinyl)-phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[4-(1-pyrrolidinyl)-phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine

1-[[4,7-Dihydro-5-methyl-7-(5-methyl-2-thienyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(1,3-Benzodioxol-4-yl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(5-Chloro-2-thienyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,5-Dimethylphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer A;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer B;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer B;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer A;

8-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,4-dioxo-8-azaspiro[4.5]decane;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(2-methoxy-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]-pyrimidin-6-yl]carbonyl]-4-[3-(trifluoromethyl)-phenyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-nitrophenyl)piperazine;

1-(4-Acetylphenyl)-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-(2-Chlorophenyl)-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]-carbonyl]-4-(4-methoxy-phenyl)piperazine;

1-(3,4-Dichlorophenyl)-4-[[7-(3,4-dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]-carbonyl]piperazine;

1-(3,5-Dichlorophenyl)-4-[[7-(3,4-dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]-carbonyl]piperazine;

1-(4-Chlorophenyl)-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-(3-Chlorophenyl)-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(3-methoxy-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(4-methyl-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5a]-pyrimidin-6-yl]car-bonyl]-4-[4-(trifluoromethyl)-phenyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(2-fluoro-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(3,4-dimethyl-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(3,4-dimethyl-phenyl)piperazine;

7-(3,4-Dichlorophenyl)-N-[2-[(4-fluoro-phenyl)amino]ethyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

4-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1-piperazinecarboxylic acid phenylmethyl ester;

7-(3,4-Dichlorophenyl)-N-ethyl-N-[(2-fluorophenyl)methyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[(3-Chloro-4-methoxyphenyl)methyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-(1,3-Benzodioxol-5-ylmethyl)-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

4-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1-piperazinecarboxylic acid ethyl ester;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(2-pyridinyl)piperazine;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

1-[Bis(4-fluorophenyl)-methyl]-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(2-furanyl-carbonyl)piperazine;

1-Cyclohexyl-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(2-methoxyethyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(9H-fluoren-9-yl)piperazine;

(2R)-1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxy-methyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(2,3-dimethyl-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-piperidine-carboxylic acid ethyl ester;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-N,N-diethyl-3-piperidinecarboxamide;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-piperidine-carboxylic acid ethyl ester;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-methyl-piperidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3,5-dimethyl-piperidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-hydroxy-piperidine;

4-(4-Chlorophenyl)-1-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-hydroxypiperidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-piperidine-carboxylic acid ethyl ester;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-methylpiperidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydroquinoline;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]-pyrimidin-6-yl]carbonyl]-
decahydroquinoline;

2-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-
1,2,3,4-tetrahydroisoquinoline;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-
4-propylpiperidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-
4-(hydroxydiphenylmethyl)piperidine;

7-(3,4-Dichlorophenyl)-N-[(2-fluoro-phenyl)methyl]-4,7-dihydro-5-methyl-pyrazolo[1,5-
a]pyrimidine-6-carboxamide;

2-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-
2,3,4,9-tetrahydro-1H-pyrido[3,4-b]indole;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[2-(phenylamino)-ethyl]pyrazolo[1,5-
a]pyrimidine-6-carboxamide;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-
yl]carbonyl]-2-[(phenyl-amino)methyl]pyrrolidine;

N-Cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-pyrazolo[1,5-a]pyrimidine-
6-carboxamide;

3-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-
yl]carbonyl]thiazole;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-
3,4-dihydro-1H-indole;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-
yl]carbonyl]azetidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-
yl]carbonyl]hexahydro-1H-azepine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]car-
bonyl]octahydroazocine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-
1,2,3,6-tetrahydropyridine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[2-(2-pyridinyl)-ethyl]pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-N-(phenylmethyl)glycine ethyl ester;

trans-7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-phenylcyclopropyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-methylpyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-methylaziridine;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-[(2,6-dimethylphenyl)amino]methyl]pyrrolidine;

7-(3,4-Dichlorophenyl)-N-ethyl-4,7-dihydro-5-methyl-N-(4-pyridinylmethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1R)-1-phenylethyl]pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1S)-1-phenylethyl]pyrazolo[1,5-a]pyrimidine-6-carboxamide;

6-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,3,3-trimethyl-6-azabicyclo[3.2.1]octane;

7-(3,4-Dichlorophenyl)-N-(hexahydro-1H-azepin-1-yl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]aziridine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]octahydro-1H-azonine;

(2R-trans)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,5-bis(methoxymethyl)-pyrrolidine;

(2S-trans)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,5-bis-(methoxymethyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-L-prolinamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-D-prolinamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3-dihydro-2-methyl-1H-indole;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3-dihydro-5-nitro-1H-indole;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3-dihydro-6-nitro-1H-indole;

4-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-thiomorpholine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-L-proline methyl ester;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine, enantiomer A;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine, enantiomer B;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-L-proline 1,1-dimethylethyl ester;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-N-(2-naphthalenyl)-L-prolinamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydro-2-methylquinoline;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-6-fluoro-1,2,3,4-tetrahydro-2-methylquinoline;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-L-proline phenylmethyl ester;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-D-proline phenylmethyl ester;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-hydroxy-L-proline phenylmethyl ester;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)-2-methylpiperazine;

3-Chloro-N-cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

4-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-thiomorpholine;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3-dihydro-1H-indole;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]hexahydro-1H-azepine;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-octahydroazocine;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,6-tetrahydropyridine;

3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1S)-1-phenylethyl]-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1R)-1-phenylethyl]-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]-carbonyl]-2-(methoxy-methyl)piperidine;

[(3R)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-pyrrolidinyl]carbamic acid 1,1-dimethylethyl ester;

[(3S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-pyrrolidinyl]carbamic acid 1,1-dimethylethyl ester;

(3R)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-(di-methylamino)pyrrolidine;

N-[1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-pyrrolidinyl]acetamide;

N-[1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-pyrrolidinyl]-N-methylacetamide;

3-Chloro-7-(3-chlorophenyl)-N-cyclohexyl-4,7-dihydro-N,5-dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

(2S)-1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxy-methyl)pyrrolidine;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-decahydroquinoline;

2-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydroisoquinoline;

4-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-thiomorpholine;

N-Cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-azacyclotridecane;

9-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-dodecahydro-1H-fluorene;

(2S)-1-[[7-(3,4-Di-chlorophenyl)-4,7-dihydro-5-methyl-2-(tri-fluoromethyl)pyrazolo-[1,5-a]pyrimidin-6-yl]car-bonyl]-2-(methoxy-methyl)pyrrolidine;

1-[[3-Chloro-7-(3-chloro-phenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]hexahydro-1H-azepine;

1-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-octahydroazocine;

1-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,6-tetrahydropyridine;

3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1S)-1-phenylethyl]pyrazolo[1,5-a]pyrimidine-6-carboxamide;

(2S)-1-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

1-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-decahydroquinoline;

2-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydroisoquinoline;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]hexahydro-1H-azepine;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,6-tetrahydropyridine;

(2S)-1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3-dihydro-1H-indole;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]hexahydro-1H-azepine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-di-methyl-N-[(1S)-1-phenylethyl]-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1R)-1-phenylethyl]-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,N-bis(2-methoxyethyl)-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N,N-bis(2-ethoxyethyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N-(2-methoxyethyl)-N,5-dimethylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N-(2-methoxyethyl)-5-methyl-N-propylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

2-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydroisoquinoline;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-octahydroazocine;

3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1S)-1-phenylethyl]-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

3-Chloro-N-cyclohexyl-7-(2,3-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-ethyl-4,7-dihydro-N-(2-methoxyethyl)-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-N-methylglycine ethyl ester;

N-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-N-methylglycine 1,1-dimethylethyl ester;

N-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-N-(2-ethoxy-2-oxoethyl)glycine ethyl ester;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-pyridinyl)piperidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydro-6-methylquinoline;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-propylpiperidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-[(diethylamino)methyl]piperidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-phenoxyethyl)-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[(7-Cyclopropyl-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl)carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(1-methyl-ethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

(2S)-1-[[4,7-Dihydro-5-methyl-7-(1-methyl-ethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxy-methyl)pyrrolidine;

1-[[4,7-Dihydro-5-methyl-7-(1-methyl-ethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3-dihydro-1H-indole;

1-[[4,7-Dihydro-5-methyl-7-(1-methylethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,6-tetrahydropyridine;

3-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]thiazolidine, enantiomer A;

3-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]thiazolidine, enantiomer B;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-(phenyl-methyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-(2-phenylethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-phenylethyl)-N-(phenylmethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(phe-noxymethyl)pyrrolidine;

(2R)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(phenoxymethyl)pyrrolidine;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-[(4-fluorophenoxy)methyl]-pyrrolidine;

(2R)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-[(4-fluorophenoxy)methyl]-pyrrolidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N-(2-methoxyethyl)-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(hydroxydiphenylmethyl)pyrrolidine;

(2R)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(hydroxydiphenylmethyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-pyridinyl)pyrrolidine;

(2S)-1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-phenylpyrrolidine;

3-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-phenylthiazolidine;

3-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-thiazolidinecarboxylic acid methyl ester;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-(3-phenyl-propyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-ethyl-4,7-dihydro-5-methyl-N-(3-phenyl-propyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(3-phenylpropyl)-N-propylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-Butyl-7-(3,4-dichloro-phenyl)-4,7-dihydro-5-methyl-N-(3-phenyl-propyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

2-(4-Chlorophenyl)-3-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]thiazolidine;

N-(Cyclopropylmethyl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-N-propylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)piperidine;

8-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1-phenyl-1,3,8-triazaspiro[4.5]decan-4-one;

4-(4-Chlorophenyl)-1-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,6-tetrahydropyridine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-phenyl-ethyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(4-methoxy-phenyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-methoxy-phenyl)pyrrolidine;

(3R)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-phenoxyproline;

(2S)-2-[(Cyclohexyl-oxy)methyl]-1-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]proline;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(phenyl-methyl)proline;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(phenoxymethyl)proline, diastereomer A;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(phenoxymethyl)proline, diastereomer B;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-methoxy-phenyl)proline;

(2S)-2-(Butoxymethyl)-1-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]proline;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-thienyl)proline;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(4-pyridinyl)proline(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-[(methoxymethoxy)-methyl]proline;

(2S)-2-(1H-Benzimidazol-1-ylmethyl)-1-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]proline;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-furanyl)proline;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-pyridinyl)proline;

(3S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-phenoxyproline;

(3S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-phenoxyproline;

(2S)-1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)proline, enantiomer A;

(2S)-1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]-pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine, enantiomer B; .

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-L-proline;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N-[(1R)-2,3-dihydro-1H-inden-1-yl]-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-(2,3-dihydro-1H-inden-2-yl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-D-phenylalanine methyl ester;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(1,2,3,4-tetrahydro-1-naphthalenyl)-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[3-(2-oxo-1-pyrrolidinyl)propyl]-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-(2-furanylmethyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[(3,4-dichloro-phenyl)methyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N-[(2R)-2-(methoxymethyl)-1-pyr-rolidinyl]-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[(tetrahydro-2-furanyl)-methyl]-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidine-6-carbo-xamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N-[(1S)-2,3-dihydro-1H-inden-1-yl]-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[2-(3,4-dichloro-phenyl)ethyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)-N-[[4-[(trifluoromethyl)thio]-phenyl]methyl]pyrazolo-[1,5-a]pyrimidine-6-carboxamide;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7di-hydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(1-pyrrolidinylmethyl)-pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(1-naphthalenylsulfonyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-[(4-ethylphenyl)sulfonyl]-piperazine;

1-[(4-Bromo-5-chloro-2-thienyl)sulfonyl]-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-[[2-(trifluoro-methoxy)phenyl]sulfonyl]piperazine;

1-[(5-Chloro-3-methyl-benzo[b]thiophen-2-yl)sulfonyl]-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-[(3-methoxyphenyl)carbonyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(1-oxo-3-phenyl-2-propenyl)-piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-pyridinylcarbonyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-4,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-4,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-4,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-4,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer B;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-4,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer A;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-2,4,5-trimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-4-[(4-fluorophenyl)methyl]-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

7-(2,3-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-2,5-dimethylpyrazolo[1,5-a]pyrimidine-4(7H)-acetic acid ethyl ester;

7-(2,3-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-N,N,2,5-tetramethylpyrazolo[1,5-a]pyrimidine-4(7H)-acetamide;

1-[[7-(2,3-Dichlorophenyl)-4-[2-(dimethylamino)ethyl]-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4-(Cyclopropylmethyl)-7-(2,3-dichlorophenyl)-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

7-(2,3-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-N,N,2,5-tetramethylpyrazolo[1,5-a]pyrimidine-4(7H)-carboxamide;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-4-methyl-5-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-2-methyl-5-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-2,4-dimethyl-5-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-2,4-dimethyl-5-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer B;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-2,4-dimethyl-5-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer A;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-2-methyl-5-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[1-Benzoyl-7-(2,3-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[1-Benzoyl-7-(3,4-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

1-[[1-Acetyl-7-(3,4-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

1-[[7-(3,4-Dichloro-phenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxo-1-(1-oxobutyl)-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[1-(Cyclopropyl-carbonyl)-7-(3,4-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

1-[[1-(Cyclopropyl-carbonyl)-7-(2,3-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,3-Dichloro-phenyl)-1,2,4,7-tetrahydro-5-methyl-1-(3-methyl-1-oxobutyl)-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)-piperazine;

1-[[7-(2,3-Dichloro-phenyl)-(2,2-dimethyl-1-oxopropyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

1-[[1-(Cyclopropyl-carbonyl)-7-(3,4-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[1-(Cyclobutyl-carbonyl)-7-(3,4-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-1,2,4,7-tetrahydro-5-methyl-1-(2-methyl-1-oxopropyl)-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-1-[(1-methylethyl)sulfonyl]-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(3,4-Dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-1-[(1-methylethyl)sulfonyl]-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(1-methylethyl)-2-oxo-6-[(4-phenyl-1-piperazinyl)carbonyl]pyrazolo[1,5-a]pyrimidine-1(2H)-carboxamide;

7-(2,3-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-2-oxo-6-[(4-phenyl-1-piperazinyl)-carbonyl]pyrazolo[1,5-a]pyrimidine-1(2H)-carboxamide;

7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-2-oxo-6-[(4-phenyl-1-piperazinyl)carbonyl]-pyrazolo[1,5-a]pyrimidine-1(2H)-carboxamide;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-N,N,5-trimethyl-2-oxopyrazolo[1,5-a]pyrimidine-1(2H)-carboxamide;

1-[[1-(3-Butenyl)-7-(3,4-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxo-1-(2,2,2-trifluoroethyl)pyrazolo-[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxo-1,4-bis(2,2,2-trifluoroethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidine-1(2H)-carboxylic acid 1-methylethyl ester;

1-[(4,7-Dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl)carbonyl]-4-phenylpiperazine 7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-2-carboxylic acid;

7-(3,4-Dichlorophenyl)-N,N-diethyl-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-2-carboxamide;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-N-(4-hydroxyphenyl)-5-methylpyrazolo[1,5-a]pyrimidine-2-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-[(2S)-2-(1-pyrrolidinylmethyl)-1-pyrrolidinyl]carbonyl]-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-2-carboxamide;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methyl-N-(phenylmethyl)pyrazolo-[1,5-a]pyrimidine-2-carboxamide;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methyl-N-(2-phenylethyl)-pyrazolo[1,5-a]pyrimidine-2-carboxamide;

1-[[2-Cyano-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[3-Bromo-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine, enantiomer B;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine, enantiomer A;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer A;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer B;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer A;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer A;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer A;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer B;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-(methoxymethyl)-N-(2-pyridinylmethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(2,3-Dichlorophenyl)-4,7-dihydro-5-(methoxymethyl)-N-(2-pyridinylmethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(4-fluorophenyl)pyrrolidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-(methoxymethyl)-N-(3-phenylpropyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

5-Cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydro-N-(3-phenylpropyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[5-Cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydropyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

(2S)-1-[[5-Cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydropyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-phenyl-N-(3-phenylpropyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-phenylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-phenylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-phenylpyrazolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-thienyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(4-methoxyphenyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-furanyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-pyridinyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(4-pyridinyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(phenylmethyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-methoxyphenyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-phenylethyl)pyrrolidine;

7-(3,4-Dichlorophenyl)-N-(2,3-dimethylcyclohexyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[1-(1-naphthalenyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[2-(1-piperidinyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-(2,2-diphenylethyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[2-(1-Cyclohexen-1-yl)ethyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[2-(phenylthio)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-([1,1'-Bicyclohexyl]-2-yl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[2-[(2,6-dichlorophenyl)methyl]thio]ethyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[(2-Chloro-6-methylphenyl)methyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-(Bicyclo[2.2.1]heptan-2-yl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-Cyclobutyl-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-Cyclopentyl-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-Cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-methylcyclohexyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-(Cyclohexylmethyl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-(2-Cyanoethyl)-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[2-(1-methyl-2-pyrrolidinyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[(1-ethyl-2-pyrrolidinyl)methyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[2-(1-pyrrolidinyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-Cyclohexyl-7-(3,4-dichlorophenyl)-N-ethyl-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-Cycloheptyl-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-[(1S,2S)-1-(hydroxymethyl)-2-methylbutyl]-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

3-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]thiazolidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-thienylmethyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-methylpiperazine;

8-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,4-dioxo-8-azaspiro[4.5]decane;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(phenylmethyl)piperidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[4-(4-morpholinyl)phenyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[3-(4-morpholinyl)propyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[2-(2-pyridinyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-(2,3-dihydro-1,4-benzodioxin-6-yl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(1-phenylethyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(phenylmethyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[(2-fluorophenyl)methyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[(2-Chlorophenyl)methyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[(4-fluorophenyl)methyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-phenylethyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[2-(4-Chlorophenyl)ethyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[(3,4-dichlorophenyl)methyl]-4,7-dihydro-N,5-dimethyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[(2-Chlorophenyl)methyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(phenylmethyl)-N-propyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[[4-(1-methylethyl)phenyl]methyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[2-[ethyl(3-methylphenyl)amino]ethyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-(Cyclopropylmethyl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[2-(6-fluoro-1H-indol-3-yl)ethyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[2-(Butylethylamino)ethyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[1-(phenylmethyl)-3-pyrrolidinyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[[4-(trifluoromethoxy)phenyl]methyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[[3-(trifluoromethoxy)phenyl]methyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[(1R)-1-(1-naphthalenyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[(1S)-1-(1-naphthalenyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[(1S)-1-Cyclohexylethyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(tricyclo[3.3.1.1^{3,7}]decan-1-ylmethyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[(1R,2S,5R)-5-methyl-2-(1-methylethyl)cyclohexyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[2-(4-phenoxyphenyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[[4-(1,2,3-thiadiazol-4-yl)phenyl]methyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(1-methyl-1-phenylethyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[(5-methyl-2-furanyl)methyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[[2-(2S)-1-ethyl-2-pyrrolidinyl]methyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-(4,6-dimethyl-2-pyridinyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-methyl-1,2,4-oxadiazol-5-yl)pyrrolidine;


1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-methyl-1,2,4-oxadiazol-5-yl)piperidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-methyl-1,2,4-oxadiazol-5-yl)piperidine diastereomer 1; and

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-methyl-1,2,4-oxadiazol-5-yl)piperidine diastereomer 2.

83. (Previously presented) A pharmaceutical composition comprising a compound as defined in Claim 61 in combination with one or more components selected from the group consisting of cyclooxygenase inhibitors, fibrinogen antagonists, diuretics, angiotensin converting enzyme inhibitors, angiotensin II antagonists, thrombolytic agents, calcium channel blocking agents, thromboxane receptor antagonists, prostacyclin mimetics and phosphodiesterase inhibitors.

84. (Currently amended) A compound of claim 61 wherein R^{3*} is selected from



85. (Previously presented) A compound of claim 61 wherein R^7 is selected from alkyl, $-\text{CO}_2\text{alkyl}$, $-\text{CF}_3$, $-\text{CN}$, F or Cl.

86. (New) A compound of claim 81 wherein Z^{5*} and Z^{6*} together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that Z^{5*} and Z^{6*} do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl.

87. (New) A compound of claim 86 wherein

R^1 is H;

R^2 is aryl, substituted aryl, heterocyclo, substituted heterocyclo, carbocyclo or substituted carbocyclo;

R^4 is alkyl or substituted alkyl;

R^5 is hydrogen, $-(\text{CH}_2)_n-\text{Z}^2$ wherein Z^2 is selected from $-\text{C}(\text{O})\text{NZ}^5\text{Z}^6$, $-\text{CO}_2\text{Z}^5$, $-\text{NZ}^5\text{Z}^6$, aryl, substituted aryl, alkyl, or substituted alkyl; and

R^7 is selected from alkyl, $-\text{CO}_2\text{alkyl}$, $-\text{CF}_3$, $-\text{CN}$, F or Cl.

88. (New) A compound of claim 86 wherein

R^1 is H;

R^2 is phenyl, substituted phenyl, heterocyclo, substituted heterocyclo, carbocyclo or substituted carbocyclo;

R^4 is lower alkyl, halo-substituted alkyl, or alkoxy-substituted alkyl;

R^5 is hydrogen, alkyl or substituted alkyl; and

R^7 is selected from alkyl, $-\text{CO}_2\text{alkyl}$, $-\text{CF}_3$, $-\text{CN}$, F or Cl.

89. (New) A compound of claim 86 wherein

R^1 is H;

R^2 is phenyl, substituted phenyl, heterocyclo, or substituted heterocyclo;

R^4 is lower alkyl, halo-substituted alkyl, or alkoxy-substituted alkyl;

R^5 is hydrogen, alkyl or substituted alkyl; and

R^7 is selected from alkyl, $-\text{CO}_2\text{alkyl}$, $-\text{CF}_3$, $-\text{CN}$, F or Cl.

90. (New) A compound of claim 86 wherein

R^1 is H;

R^2 is substituted phenyl or substituted heterocyclo;

R^4 is lower alkyl or alkoxy-substituted alkyl;

R^5 is hydrogen, alkyl or substituted alkyl; and

R^7 is selected from alkyl, $-\text{CO}_2\text{alkyl}$, $-\text{CF}_3$, $-\text{CN}$, F or Cl.